



runners
SLIDING SYSTEMS



multirail™ auto

The Multirail™ Auto is ideal for any application needing an automated conveyor system. Multirail Auto comes with a continuous trolley and chain loop and multiple hanging eyes make it easy for the operator to load product to the line. A drive unit powers the chain around the heavy duty track.



Key Features

- Limitless configurations available
- Smooth running in operation
- Maintenance Free



Benefits

- Highest quality components
- Improves operational efficiency
- Economical, time saving investment
- Full technical support


Multirail™ Auto Components

Multirail™ Auto offers all the benefits of a standard Multirail set up and also has the added advantage of automated movement, reducing handling and speeding up processes.


Motor





Tension Unit



Conveyor



Chain Input Support




Track

The Multirail™ system is ideally suited to more complex layouts which may incorporate turntables and junctions. The wide range of hangers and support brackets makes Multirail™ a very flexible option for virtually any application.

Straight Track

Tubular Steel Track
Max capacity: 400kg per metre



Length	Part No.
3 metre	88-400-3
4 metre	88-400-4
5 metre	88-400-5
6 metre	88-400-6




Bends

Tubular Steel Track Bend
Total linear length: 2 metres

Angle	Part No.
90°	88-424
45°	88-425
30°	88-426



All dimensions are in mm




Heavy and bulky items are moved around the production environment quickly and effortlessly, minimising handling time.




Brackets/Accessories


Ceiling Support Bracket




Wall Support Bracket




Split Suspension Bracket



Split Suspension Bracket for Welding




Track Joint



Accessories

Copper Hanging Wires (pack 50)



Screw-in Hooks (pack 100)

SCT 483

