



Tommaslide

Bottom Rolling System


Patio Doors sliding door system

The Tommaslide bottom rolling sliding door system is engineered for durability and ease of use, making it a popular choice for patio doors.


With a smooth gliding action and the ability to support panels weighing up to 600kg, it offers a reliable solution for exterior sliding doors.



Tommaslide Bottom Rolling System Components




Single nylon roller unit - 25kg capacity
(Maximum Adjustment: 93mm)
Code: 100-200



Single brass roller unit - 35kg capacity
(Maximum Adjustment: 93mm)
Code: 100-201



Nylon twin roller unit - 90kg capacity
(Maximum Adjustment: 193mm)
Code: 100-202





Stainless Steel twin roller unit - 300kg capacity
(Maximum Adjustment: 218mm)
Code: 100-203



Specification

- Maximum door panel weight: 300kg
- Minimum door panel weight: 50kg
- Minimum door thickness for single and double track: 16mm
- Maximum door thickness for double track: 28mm
- Length of top and bottom track: 3 metre or 6 metre


Bottom track Aluminium or brass track




Aluminium Track	
Length	Code
2 Metre	100-103-2
3 Metre	100-103-3

Brass Track	
Length	Code
2 Metre	100-102-2
3 Metre	100-102-3


Top track Satin aluminium




Length	Code
2 Metre	10-60-BT2000-CA
3 Metre	10-60-BT3000-CA
4 Metre	10-60-BT4000-CA
6 Metre	10-60-BT6000-CA




Single bearing guide
(required for top track)




Code: TS-SBG



Technical Information




Accessories



Aquamac 21

Colour	Length	Code
Black	10 Metre	GSM49210M
Bronze	10 Metre	GSM48110M
White	10 Metre	GSM48010M
Black	25 Metre	GSM49225M
Bronze	25 Metre	GSM48125M
White	25 Metre	GSM48025M



Interlocking Seal

Colour	Code
White	GSP371
Brown	GSP372



Patio Door Handle

Code
770-2000-77

Reliance D70 4 Point Hookbolt Sliding Door Multipoint Lock



Product	Code
Lock	75407
Keep	75465